

Ditch 157

EXHIBIT I.

VIEWERS' REPORT

—IN—

DITCH PROCEEDINGS.

No. 686.—Pioneer Press Co., St. Paul, Minn.

Filed November 14th 1891

*J. M. Putnam
County Auditor*

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, *Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15*

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD
Between Stake No. 0+50	1.9	2	5.8	12.2	\$.06
and Stake No. 1	1.6	2	5.2	23.3	"
2	1.8	2	5.6	25.2	"
3	1.8	2	5.6	25.2	"
4	1.8	2	5.6	25.2	"
5	1.9	2	5.8	26.3	"
6	1.9	2	5.8	27.4	"
7	1.9	2	5.8	27.4	"
8	1.9	2	5.8	27.4	"
9	1.9	2	5.8	27.4	"
10	1.9	2	5.8	25.4	"
11	1.7	2	5.4	22.4	"
12	1.6	2	5.2	22.4	"
13	1.7	2	5.4	24.2	"
14	1.8	2	5.6	27.4	"
15	2.0	2	6.0	29.6	"
16	2.0	2	6.0	29.6	"
17	2.0	2	6.0	30.7	"
18	2.1	2	6.2	30.7	"
19	2.0	2	6.0	29.6	"
20				519.0	
<i>Totals</i>					519.0

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD
Between Stake No. 20	2.0	2.0	6.0	33.1	8.06
and Stake No. 21	2.3	2.0	6.0	33.3	"
22	2.1	2.0	6.0	28.7	"
23	1.9	2.0	5.8	27.4	"
24					
25	2.3	2.0	6.0	34.8	"
26	2.4	2.0	6.0	34.8	"
27	2.3	2.0	6.0	33.3	"
28	2.2	2.0	6.0	32.6	"
29	2.2	2.0	6.0	35.5	"
30	2.6	3 2.0	6.0	38.5	"
31	2.6	2.0	6.0	37.8	"
32	2.6	2.0	6.0	37.0	"
33	1.9 2.6	2.0	6.0	37.0	"
34	1.8 2.6	3 2.0	6.0	37.0	"
35	2.1 2.5	2.0	6.0	37.8	"
36	2.6	2.0	6.0	37.8	"
37	1.7 2.6	2.0	6.0	39.1	"
38	1.5 2.8	3 2.0	6.0	39.1	"
39	1.8 2.5	2.0	6.0	37.8	"
40				703.1	
Totals					542.9

not complete

Noted

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD	
Between Stake No. 40	2.6	2.0	6.0	39.2	\$.07	
and Stake No. 41	2.4 2.7	2.0	6.0	41.5	" "	
42	2.7 2.9	2.0	6.0	25.5	" "	Beaver Dam
+ 500	4.0	2.0	6.0	26.0	" "	
43	3.1	2.0	6.0	43.2	" "	
44	2.4 2.8	2.0	6.0	43.7	" "	
45	2.9 3.1	3 2.0	6.0	46.7	" "	
to clean 46	3.2	2.0	6.0	47.4	" "	
47	3 3.2	2.5 2.0	6.0	46.7	" "	
48	3.2 3.1	2.0	6.0	48.2	" "	
49	2.7 3.4	2.5 2.0	6.0	48.2	" "	
50	3. 3.1	2.0	6.0	46.7	" "	
51	2.9 3.2	2.0	6.0	28.6	" "	42.4
+ 66 1/2	2.6	2.0	6.0	13.8	" "	
52	3.4 3.0	2.0	6.0	35.9	" "	
53	1.8 1.9	2.0	6.0	23.3	" "	
54	1.4 1.5	2.0	5 6.0	20.4	" "	
55	1.7 1.6	2.0	6.0	23.3	" "	
56	1.5 1.8	2.0	6.0	26.3	" "	
57						
				674.5		47.22
						Totals

4

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD
Between Stake No. 57	1.9	2.0	6.0	27.4	8.07 ✓
and Stake No. 58	1.4	2.0	6.0	22.9	" ✓
59	1.7	4 2.0	5.5 6.0	26.3	" ✓
60	1.5	2.0	6.0	34.1	" ✓
61	1.7	3.5 2.0	6.0 6.0	32.6	" ✓
62	1.4	2.0	5.5 6.0	31.8	" ✓
63	2.2	2.0	6.0	27.9	" ✓
64	2.3	3.4 2.0	5.6 6.0	25.4	" ✓
65	1.9	2.0	6.0	25.4	" ✓
66	1.7	2.0	6.0	20.5	" ✓
67	1.4	2.0	6.0	25.2	" ✓
68	1.	3 2.0	5 6.0	34.1	" ✓
69	1.7	4 2.0	5.6 6.0	32.6	" ✓
70	2.0	2.0	6.0	32.6	" ✓
71	1.5	2.0	6.0	35.5	" ✓
72	2.4	2.0	6.0	35.5	" ✓
73	2.4	2.0	6.0	36.3	" ✓
74	2.5	2.0	6.0	39.3	" ✓
75	2.3	2.0	6.0	41.5	" ✓
76					
				586.7	41.08
<i>Totals</i>					

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 13

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD
Between Stake No. <u>76</u>	<u>2.8</u>	<u>2.0</u>	<u>6.0</u>	<u>41.5</u>	<u>\$.07</u>
and Stake No. <u>77</u>	<u>2.8</u>	<u>2.0</u>	<u>6.0</u>	<u>38.5</u>	" "
<u>78</u>	<u>2.4</u>	"	"	<u>36.3</u>	" "
<u>79</u>	<u>2.5</u>	"	"	<u>35.5</u>	" "
<u>80</u>	<u>2.3</u>	"	"	<u>32.6</u>	" "
<u>81</u>	<u>2.1</u>	"	"	<u>30.3</u>	" "
<u>82</u>	<u>2.0</u>	"	"	<u>28.9</u>	" "
<u>83</u>	<u>1.9</u>	"	"	<u>10.8</u>	" "
<u>+50 ←</u>	<u>1.0</u>				
<u>From 83+50 to Stake and Book</u>					
<u>95</u>	<u>1.2</u>	<u>2.0</u>	<u>4.4</u>		
<u>96</u>	<u>1.2</u>	<u>2.0</u>	<u>4.4</u>	<u>14.0</u>	<u>\$.07</u>
<u>97</u>	<u>0.9</u>	<u>2.0</u>	<u>6.0</u>	<u>13.7</u>	" "
<u>98</u>	<u>1.7</u>	<u>2.0</u>	<u>6.0</u>	<u>19.2</u>	" "
<u>99</u>	<u>2.1</u>	<u>2.0</u>	<u>6.2</u>	<u>28.5</u>	" "
<u>100</u>	<u>2.1</u>	<u>2.0</u>	<u>6.2</u>	<u>31.8</u>	<u>\$.08</u>
<u>101</u>	<u>2.6</u>	<u>2.0</u>	<u>7.0</u>	<u>37.6</u>	" "
				<u>286.4</u>	
					<u>Totals</u>

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD	
Between Stake No. <u>101</u>						
and Stake No. <u>102</u>	<u>2.2</u>	<u>2.0</u>	<u>6.4</u>	<u>38.7</u>	<u>\$08</u> ✓	
<u>103</u>	<u>2.3</u>	<u>2.0</u>	<u>6.6</u>	<u>35.4</u>	"	
<u>104</u>	<u>2.2</u>	<u>2.0</u>	<u>6.4</u>	<u>30.4</u>	"	
<u>105</u>	<u>2.2</u>	<u>2.0</u>	<u>6.4</u>	<u>34.1</u>	"	
<u>106</u>	<u>2.2</u>	<u>2.0</u>	<u>6.4</u>	<u>34.1</u>	"	
<u>107</u>	<u>3.0</u>	<u>2.0</u>	<u>7.0</u>	<u>42.0</u>	"	
<i>cutte</i> <u>108</u>	<u>2.3</u>	<u>2.0</u>	<u>6.6</u>	<u>43.3</u>	"	
<u>+50</u>	<u>0.2</u>	<u>2.0</u>	<u>6.0</u>	<u>9.9</u>	"	
<u>109</u>	<u>2.5</u>	<u>2.0</u>	<u>7.0</u>	<u>11.1</u>	"	
<u>+78</u>	<u>2.0</u>	<u>2.0</u>	<u>6.0</u>	<u>28.0</u>	"	
<u>110</u>	<u>2.4</u>	<u>2.0</u>	<u>6.8</u>	<u>7.0</u>	"	
<u>111</u>	<u>2.4</u>	<u>2.0</u>	<u>6.8</u>	<u>18.0 net</u>	"	widen Brook
<u>112</u>	<u>2.6</u>	<u>2.0</u>	<u>7.0</u>	<u>18. net</u>	"	widen Brook
<u>113</u>	<u>2.1</u>	<u>2.0</u>	<u>6.2</u>	<u>9. net</u>	"	"
<u>114</u>	<u>1.6</u>	<u>2.0</u>	<u>6.0</u>	<u>27.8</u>	"	
<u>+50</u>	<u>0.1</u>	<u>2.0</u>	<u>6.0</u>	<u>6.3</u>	<u>09</u>	
<u>115</u>	<u>2.2</u>	<u>2.0</u>	<u>6.4</u>	<u>8.9</u>	<u>09</u>	all material to be placed on SW side of creek bet Sta 114 & 115 net 115—to excavated Brook
<u>116</u>						Brook
<u>117</u>						Brook
				<u>407/0</u>		<u>32.91</u>
						Totals

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD	
Between Stake No. 118						Brook
and Stake No. 119				5.0	08 ✓	to widen channel - 2 ft
120				9.0	" ✓	widen "
121				5.0	" ✓	" " for 50 ft
122	2.2	2.0	6.4	37.9	" ✓	
123	2.5	2.0	7.0	40.5	" ✓	
124	2.4	2.0	6.8	35.5	" ✓	
125	2.1	2.0	6.2	39.2	" ✓	
126	2.8	2.0	7.0	39.2	" ✓	
127	2.1	2.0	6.2	34.2	" ✓	
128	2.3	2.0	6.6	39.1	" ✓	
129	2.5	2.0	7.0	41.5	" ✓	
130	2.5	2.0	7.0	37.8	" ✓	
131	2.2	2.0	6.4	36.7	" ✓	
132	2.4	2.0	6.8	37.9	" ✓	
133	2.3	2.0	6.6	35.4	" ✓	
134	2.2	2.0	6.4	34.1	09 ✓	all material to be thrown on S.W. side of ditch from Sta 134 to 137
135	2.2	2.0	6.4	35.4 net	" ✓	old ditch
136	2.3	2.0	6.6	30.0 net	" ✓	old ditch
137				573.4		46.87
					Totals	

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD	
Between Stake No. <u>137</u>	<u>2.8</u>	<u>2.0</u>	<u>7.0</u>	<u>20.0</u> net	<u>\$0.91</u>	old ditch
and Stake No. <u>138</u>	<u>3.3</u>	<u>2.0</u>	<u>8.0</u>	<u>17.0</u> net	"	"
<u>139</u>	<u>1.8</u>	<u>2.0</u>	<u>6.0</u>	<u>8.0</u> net	"	"
<u>140</u>	<u>1.8</u>	<u>2.0</u>	<u>6.0</u>	<u>7.0</u> net	"	"
<u>141</u>	<u>1.5</u>	<u>2.0</u>	<u>6.0</u>	<u>7.5</u> net	"	"
<u>142</u>	<u>1.9</u>	<u>2.0</u>	<u>6.0</u>	<u>15.3</u> nets	"	"
<u>143</u>	<u>2.3</u>	<u>2.0</u>	<u>6.6</u>	<u>16.2</u> net	"	"
<u>144</u>	<u>2.0</u>	<u>2.0</u>	<u>6.0</u>	<u>22.2</u> net	"	"
<u>145</u>	<u>2.3</u>	<u>2.0</u>	<u>6.6</u>	<u>8.6</u>	"	Ditch ends at sta 145
+ <u>33 1/3</u>	<u>1.0</u>	<u>2.0</u>	<u>6.0</u>	<u>20.0</u> } <u>286</u>	"	
<u>146</u>	<u>2.7</u>	<u>2.0</u>	<u>7.0</u>	<u>24.8</u>	"	In creek channel at Bridge
<u>147</u>	<u>0.3</u>	<u>2.0</u>	<u>6.0</u>	<u>20.5</u>	"	
<u>148</u>	<u>2.3</u>	<u>2.0</u>	<u>6.6</u>	<u>35.2</u>	"	
<u>149</u>	<u>2.2</u>	<u>2.0</u>	<u>6.4</u>	<u>37.6</u>	"	creek channel
<u>150</u>	<u>2.6</u>	<u>2.0</u>	<u>7.0</u>	<u>34.1</u> net	"	"
<u>151</u>	<u>2.0</u>	<u>3.0</u>	<u>7.0</u>	<u>18.0</u> net	"	"
<u>152</u>	<u>2.0</u>	<u>3.0</u>	<u>7.0</u>	<u>19.8</u> net	"	"
<u>153</u>	<u>2.3</u>	<u>3.0</u>	<u>7.0</u>	<u>19.2</u> net	"	"
<u>154</u>	<u>1.5</u>	<u>3.0</u>	<u>7.0</u>	<u>22.4</u> net	"	at 155+60 leave brook
<u>155</u>	<u>2.2</u>	<u>3.0</u>	<u>7.0</u>			
				<u>453.6</u>		\$40.82
						Totals

316.67

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD	
Between Stake No. 155	2.2	3.0	7.0			
and Stake No. 156	2.0	3.0	7.0	38.9	\$.09	
157	2.1	3.0	7.0	42.4	"	
158	1.2	3.0	7.0	20.5 mls	"	157+25 return to Brook
159	2.0	3.0	7.0	45.6 mls	"	crack chan
160	1.6	3.0	7.0	19.3 mls	"	"
+50	1.7	3.0	7.0	8.2 mls	"	at 160+50 leave chan (crack mts)
161	1.8	3.0	7.0	16.2	"	
162	2.1	3.0	7.0	36.1	"	
+75	1.8	3.0	6.6	26.5	"	+66 enter wide chan
163	0.7	3.0	4.4	5.2	"	crack channel channel wide
164	0.0			4.8	"	" old dry channel
165	0.3	3.0	3.6	2.2	"	"
166	0.0			2.3	"	"
+25	1.2	3.0	5.4	5.5	"	"
+75	0.3	3.0	3.6	1.1	"	"
167	0.4	3.0	3.8	1.2	"	"
+75	1.6	3.0	6.2	4.4	"	"
168	0.6	3.0	4.2	9.1	"	"
169	0.7	3.0	4.4		"	"
				379.5		324.34
Totals						

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 15

SECTION	DEPTH OF CUT	WIDTH OF CUT AT BOTTOM	WIDTH OF CUT AT TOP	NO. OF CUBIC YARDS REMOVED	ESTIMATED COST PER CUBIC YARD	
Between Stake No. 169				29.1	\$0.9	old channel
and Stake No. 170	2.4	3.0	7.0	33.3	"	"
171	1.2	3.0	5.4	21.3	"	"
172	1.5	3.0	6.0	26.8	"	"
+166	3.0	3.0	7.0	9.9	"	corner to be cut off
173	0.3	3.0	3.6	14.8	"	channel
+150	3.0	3.0	7.0	17.1	"	corner to be cut off
174	0.9	3.0	4.8	32.4	"	channel
175	2.8	3.0	7.0	24.1	"	corner to be cut off
+50	2.4	3.0	7.0	11.7	"	corner
176	0.2	3.0	3.4	12.5	"	channel
+50	2.5	3.0	7.0	15.7	"	corner to be cut off
177	0.9	3.0	7.0	24.0	"	chan to be widened at top
178	0.9	3.0	7.0	26.0	"	channel
179	1.1	3.0	7.0	27.0	"	"
180	1.0	3.0	7.0	31.5	"	"
181	2.4	3.0	7.0	29.6	"	cor to be cut off
182+66	0.2			5.3	"	channel
183+75	0.2			6.0	"	"
184	2.3	3.0	7.0		"	corner to be cut off
+15	0.9	3.0	7.0		"	channel
				39.7		

Totals
3370.54