

EXHIBIT *B*

*Ditch no 29*  
VIEWERS' REPORT

—IN—

DITCH PROCEEDINGS.

No. 686.—Pioneer Press Co., St. Paul, Minn.

*Filed March 3, 1898.*  
*G. W. Putnam,*  
*C. Auditor.*



EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. *29 Main Line*

| SECTION                    | DEPTH OF CUT | WIDTH OF CUT AT BOTTOM | WIDTH OF CUT AT TOP | NO. OF CUBIC YARDS REMOVED | ESTIMATED COST PER CUBIC YARD       |
|----------------------------|--------------|------------------------|---------------------|----------------------------|-------------------------------------|
| Between Stake No. <i>0</i> | <i>3.2</i>   | <i>2 ft</i>            | <i>5.2</i>          |                            | <i>All at Base (6) cents per yd</i> |
| and Stake No. <i>1</i>     | <i>3.6</i>   |                        | <i>5.7</i>          | <i>24</i>                  |                                     |
| <i>2</i>                   | <i>3.5</i>   | "                      | <i>5.5</i>          | <i>27</i>                  |                                     |
| <i>3</i>                   | <i>3.3</i>   | "                      | <i>5.3</i>          | <i>28</i>                  |                                     |
| <i>4</i>                   | <i>3.3</i>   | "                      | <i>5.3</i>          | <i>26</i>                  |                                     |
| <i>5</i>                   | <i>3.5</i>   | "                      | <i>5.5</i>          | <i>27</i>                  |                                     |
| <i>6</i>                   | <i>3.4</i>   | "                      | <i>5.4</i>          | <i>28</i>                  |                                     |
| <i>7</i>                   | <i>3.8</i>   | "                      | <i>5.8</i>          | <i>29</i>                  |                                     |
| <i>8</i>                   | <i>3.4</i>   | "                      | <i>5.4</i>          | <i>32</i>                  |                                     |
| <i>9</i>                   | <i>3.6</i>   | "                      | <i>5.6</i>          | <i>27</i>                  |                                     |
| <i>10</i>                  | <i>3.7</i>   | "                      | <i>5.7</i>          | <i>30</i>                  |                                     |
| <i>11</i>                  | <i>3.6</i>   | "                      | <i>5.6</i>          | <i>31</i>                  |                                     |
| <i>12</i>                  | <i>3.9</i>   | "                      | <i>5.9</i>          | <i>31</i>                  |                                     |
| <i>13</i>                  | <i>3.7</i>   | "                      | <i>5.7</i>          | <i>33</i>                  |                                     |
| <i>14</i>                  | <i>3.4</i>   | "                      | <i>5.4</i>          | <i>31</i>                  |                                     |
| <i>15</i>                  | <i>3.7</i>   | "                      | <i>5.7</i>          | <i>31</i>                  |                                     |
| <i>16</i>                  | <i>3.5</i>   | "                      | <i>5.5</i>          | <i>31</i>                  |                                     |
| <i>17</i>                  | <i>3.4</i>   | "                      | <i>5.4</i>          | <i>30</i>                  |                                     |
| <i>18</i>                  | <i>3.7</i>   | "                      | <i>5.7</i>          | <i>31</i>                  |                                     |
| <i>19</i>                  | <i>3.6</i>   | "                      | <i>5.6</i>          | <i>33</i>                  |                                     |
|                            |              |                        |                     | <i>560</i>                 |                                     |
|                            |              |                        |                     |                            | Totals                              |

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. *219 Main Sewer*

| SECTION                     | DEPTH OF CUT | WIDTH OF CUT AT BOTTOM | WIDTH OF CUT AT TOP | NO. OF CUBIC YARDS REMOVED | ESTIMATED COST PER CUBIC YARD                     |
|-----------------------------|--------------|------------------------|---------------------|----------------------------|---|
| Between Stake No. <i>20</i> | <i>3.6</i>   | <i>2 ft</i>            | <i>5.6</i>          | <i>32</i>                  | <i>All at six cents per yard</i>                  |
| and Stake No. <i>21</i>     | <i>3.7</i>   |                        | <i>5.7</i>          | <i>30</i>                  |   |
| <i>22</i>                   | <i>3.8</i>   |                        | <i>5.8</i>          | <i>28</i>                  |   |
| <i>23</i>                   | <i>4.5</i>   |                        | <i>6.5</i>          | <i>40</i>                  |   |
| <i>24</i>                   | <i>4.1</i>   |                        | <i>6.1</i>          | <i>40</i>                  |   |
| <i>25</i>                   | <i>4.6</i>   |                        | <i>6.6</i>          | <i>40</i>                  |   |
| <i>26</i>                   | <i>3.7</i>   |                        | <i>5.7</i>          | <i>40</i>                  |   |
| <i>27</i>                   | <i>3.9</i>   |                        | <i>5.9</i>          | <i>33</i>                  |   |
| <i>28</i>                   | <i>3.5</i>   |                        | <i>5.5</i>          | <i>32</i>                  |   |
| <i>29</i>                   | <i>4.0</i>   |                        | <i>6.0</i>          | <i>31</i>                  |   |
| <i>30</i>                   | <i>4.0</i>   | <i>3 ft</i>            | <i>6.0</i>          | <i>33</i>                  | <i>Rate Sta 33 = 2 ft Bottom<br/>" " 34 = 3 "</i> |
| <i>31</i>                   | <i>3.7</i>   |                        | <i>5.7</i>          | <i>34</i>                  |   |
| <i>32</i>                   | <i>4.0</i>   |                        | <i>6.0</i>          | <i>36</i>                  |   |
| <i>33</i>                   | <i>3.8</i>   |                        | <i>5.8</i>          | <i>37</i>                  |   |
| <i>34</i>                   | <i>4.1</i>   |                        | <i>7.1</i>          | <i>49</i>                  |   |
| <i>35</i>                   | <i>4.0</i>   |                        | <i>7.0</i>          | <i>57</i>                  |   |
| <i>36</i>                   | <i>3.9</i>   |                        | <i>6.9</i>          | <i>51</i>                  |   |
| <i>37</i>                   | <i>3.9</i>   |                        | <i>6.9</i>          | <i>51</i>                  |   |
| <i>38</i>                   | <i>4.0</i>   |                        | <i>7.0</i>          | <i>49</i>                  |   |
| <i>39</i>                   | <i>4.1</i>   |                        | <i>7.1</i>          | <i>51</i>                  |   |
|                             |              |                        | <i>284</i>          |                            | <i>Totals</i>                                     |

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. *29 Main Line*

| SECTION                     | DEPTH OF CUT | WIDTH OF CUT AT BOTTOM | WIDTH OF CUT AT TOP | NO. OF CUBIC YARDS REMOVED | ESTIMATED COST PER CUBIC YARD    |
|-----------------------------|--------------|------------------------|---------------------|----------------------------|----------------------------------|
| Between Stake No. <i>40</i> | <i>4.1</i>   | <i>3 ft</i>            | <i>7.1</i>          | <i>574</i>                 | <i>All dirt (6) cut for grad</i> |
| and Stake No. <i>41</i>     | <i>4.0</i>   |                        | <i>7.0</i>          | <i>53</i>                  |                                  |
| <i>42</i>                   | <i>3.9</i>   | "                      | <i>6.9</i>          | <i>52</i>                  |                                  |
| <i>43</i>                   | <i>3.7</i>   | "                      | <i>6.7</i>          | <i>47</i>                  |                                  |
| <i>44</i>                   | <i>3.8</i>   | "                      | <i>6.8</i>          | <i>47</i>                  |                                  |
| <i>45</i>                   | <i>3.7</i>   | "                      | <i>6.7</i>          | <i>49</i>                  |                                  |
| <i>46</i>                   | <i>3.8</i>   | "                      | <i>6.8</i>          | <i>46</i>                  |                                  |
| <i>47</i>                   | <i>3.9</i>   | "                      | <i>6.9</i>          | <i>47</i>                  |                                  |
| <i>48</i>                   | <i>3.6</i>   | "                      | <i>6.6</i>          | <i>48</i>                  |                                  |
| <i>49</i>                   | <i>3.7</i>   | "                      | <i>6.7</i>          | <i>45</i>                  |                                  |
| <i>50</i>                   | <i>3.7</i>   | "                      | <i>6.7</i>          | <i>48</i>                  |                                  |
| <i>51</i>                   | <i>3.8</i>   | "                      | <i>6.8</i>          | <i>50</i>                  |                                  |
| <i>52</i>                   | <i>3.6</i>   | "                      | <i>6.6</i>          | <i>49</i>                  |                                  |
| <i>53</i>                   | <i>3.5</i>   | "                      | <i>6.5</i>          | <i>47</i>                  |                                  |
| <i>54</i>                   | <i>3.4</i>   | "                      | <i>6.4</i>          | <i>45</i>                  |                                  |
| <i>55</i>                   | <i>3.5</i>   | "                      | <i>6.5</i>          | <i>46</i>                  |                                  |
| <i>56</i>                   | <i>3.9</i>   | "                      | <i>6.9</i>          | <i>50</i>                  |                                  |
| <i>57</i>                   | <i>3.5</i>   | "                      | <i>6.5</i>          | <i>49</i>                  |                                  |
| <i>58</i>                   | <i>3.8</i>   | "                      | <i>6.8</i>          | <i>46</i>                  |                                  |
| <i>59</i>                   | <i>3.5</i>   | "                      | <i>6.5</i>          | <i>47</i>                  |                                  |
|                             |              |                        |                     | <i>965</i>                 |                                  |
|                             |              |                        |                     | <i>"</i>                   |                                  |
|                             |              |                        |                     |                            | <i>Totals</i>                    |

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 29 Main Line

| SECTION                     | DEPTH OF CUT | WIDTH OF CUT AT BOTTOM | WIDTH OF CUT AT TOP | NO. OF CUBIC YARDS REMOVED | ESTIMATED COST PER CUBIC YARD        |
|-----------------------------|--------------|------------------------|---------------------|----------------------------|--------------------------------------|
| Between Stake No. <u>60</u> | <u>4.4</u>   | <u>3 ft</u>            | <u>7.4</u>          | <u>58</u>                  | <u>All - Price 16 Cents per yard</u> |
| and Stake No. <u>61</u>     | <u>3.5</u>   |                        | <u>6.5</u>          | <u>61</u>                  |                                      |
| <u>62</u>                   | <u>3.5</u>   | "                      | <u>6.5</u>          | <u>57</u>                  |                                      |
| <u>63</u>                   | <u>3.3</u>   | "                      | <u>6.3</u>          | <u>48</u>                  |                                      |
| <u>64</u>                   | <u>4.6</u>   | "                      | <u>7.6</u>          | <u>60</u>                  |                                      |
| <u>65</u>                   | <u>5.0</u>   | "                      | <u>8.0</u>          | <u>66</u>                  |                                      |
| <u>66</u>                   | <u>4.4</u>   | "                      | <u>7.4</u>          | <u>65</u>                  |                                      |
| <u>67</u>                   | <u>3.6</u>   | "                      | <u>6.6</u>          | <u>50</u>                  |                                      |
| <u>68</u>                   | <u>4.1</u>   | "                      | <u>7.1</u>          | <u>46</u>                  |                                      |
| <u>69</u>                   | <u>4.0</u>   | "                      | <u>7.0</u>          | <u>52</u>                  |                                      |
| <u>70</u>                   | <u>4.0</u>   | "                      | <u>7.0</u>          | <u>53</u>                  |                                      |
| <u>71</u>                   | <u>3.9</u>   | "                      | <u>6.9</u>          | <u>52</u>                  |                                      |
| <u>72</u>                   | <u>3.9</u>   | "                      | <u>6.9</u>          | <u>50</u>                  |                                      |
| <u>73</u>                   | <u>3.8</u>   | "                      | <u>6.8</u>          | <u>50</u>                  |                                      |
| <u>74</u>                   | <u>3.9</u>   | "                      | <u>6.9</u>          | <u>49</u>                  |                                      |
| <u>75</u>                   | <u>3.7</u>   | "                      | <u>6.7</u>          | <u>49</u>                  |                                      |
| <u>76</u>                   | <u>3.5</u>   | "                      | <u>6.5</u>          | <u>47</u>                  |                                      |
| <u>77</u>                   | <u>3.9</u>   | "                      | <u>6.9</u>          | <u>50</u>                  |                                      |
| <u>78</u>                   | <u>3.7</u>   | "                      | <u>6.7</u>          | <u>50</u>                  |                                      |
| <u>79</u>                   | <u>3.8</u>   | "                      | <u>6.8</u>          | <u>50</u>                  |                                      |
|                             |              |                        |                     | <u>1057</u>                |                                      |
|                             |              |                        |                     | <u>6</u>                   |                                      |
|                             |              |                        |                     |                            | <i>Totals</i>                        |

EXHIBIT 1 OF VIEWERS' REPORT IN DITCH PROCEEDINGS, Showing Estimated Depth of Cut, Width, No. of Cubic Yards Removed and Cost of same, in Ditch No. 219 Main Line

| SECTION                     | DEPTH OF CUT | WIDTH OF CUT AT BOTTOM | WIDTH OF CUT AT TOP | NO. OF CUBIC YARDS REMOVED | ESTIMATED COST PER CUBIC YARD        |
|-----------------------------|--------------|------------------------|---------------------|----------------------------|--------------------------------------|
| Between Stake No. <u>80</u> | <u>3.6</u>   | <u>3 ft</u>            | <u>6.6</u>          | <u>49</u>                  | <u>All. Six (6) Cu. Yds per yard</u> |
| and Stake No. <u>81</u>     | <u>3.8</u>   |                        | <u>6.8</u>          | <u>50</u>                  |                                      |
| <u>82</u>                   | <u>3.9</u>   | "                      | <u>6.9</u>          | <u>55</u>                  |                                      |
| <u>83</u>                   | <u>3.6</u>   | "                      | <u>6.6</u>          | <u>54</u>                  |                                      |
| <u>84</u>                   | <u>3.7</u>   | "                      | <u>6.7</u>          | <u>48</u>                  |                                      |
| <u>85</u>                   | <u>3.8</u>   | "                      | <u>6.8</u>          | <u>52</u>                  |                                      |
| <u>86</u>                   | <u>3.7</u>   | "                      | <u>6.7</u>          | <u>52</u>                  |                                      |
| <u>87</u>                   | <u>3.6</u>   | "                      | <u>6.6</u>          | <u>51</u>                  |                                      |
| <u>88</u>                   | <u>3.5</u>   | "                      | <u>6.5</u>          | <u>52</u>                  |                                      |
| <u>89</u>                   | <u>3.3</u>   | "                      | <u>6.3</u>          | <u>50</u>                  |                                      |
| <u>90</u>                   | <u>3.6</u>   | "                      | <u>6.6</u>          | <u>50</u>                  |                                      |
| <u>91</u>                   | <u>3.5</u>   | "                      | <u>6.5</u>          | <u>48</u>                  |                                      |
| <u>92</u>                   | <u>3.4</u>   | "                      | <u>6.4</u>          | <u>47</u>                  |                                      |
| <u>93</u>                   | <u>3.4</u>   | "                      | <u>6.4</u>          | <u>48</u>                  |                                      |
| <u>94</u>                   | <u>3.3</u>   | "                      | <u>6.3</u>          | <u>45</u>                  |                                      |
| <u>95</u>                   | <u>3.4</u>   | "                      | <u>6.4</u>          | <u>45</u>                  |                                      |
| <u>96</u>                   | <u>3.4</u>   | "                      | <u>6.4</u>          | <u>44</u>                  |                                      |
| <u>97</u>                   | <u>3.2</u>   | "                      | <u>6.2</u>          | <u>41</u>                  |                                      |
| <u>98</u>                   | <u>3.7</u>   | "                      | <u>6.7</u>          | <u>43</u>                  |                                      |
| <u>99</u>                   | <u>3.7</u>   | "                      | <u>6.7</u>          | <u>47</u>                  |                                      |
|                             |              |                        |                     | <u>97 1/8</u>              |                                      |
| <i>Totals</i>               |              |                        |                     |                            |                                      |