

Filed Oct. 25th 1900
Seeden M^c Gaffey
Co Auditor

10 9 8 7 6 5 4 3 2 1

Sept 28, 38

Sale of Ditching Jobs.

(First Publication Oct. 3rd, 1903.)

Notice is hereby given, that on the 25th day of October, 1903, at 10 o'clock A. M., at the county auditor's office in the city of Anoka, in case no appeal is taken, I will sell the jobs of digging and constructing the ditch No. 28, of Anoka county, established by the board of county commissioners of Anoka county, State of Minnesota, by their order bearing date September 22nd, 1903, viz.: In sections of 160 feet each, each of said sections to be known and numbered by stakes as shown by the report of the viewers in said matter, commencing at the one including the outlet, and from thence, successively, up stream to the one including the source from section 6 to section 128, plus 43 main line through sections 37 and 28, being in township 38, range 28, rd the lowest responsible bidder or bidders, said work to be completed within the time required, and in the manner specified, in said viewers' report. And no bid will be entertained which exceeds more than thirty (30) per cent over and above the estimated cost of the construction, in any case, as stated in the said order, and the successful bidder will be required to give a satisfactory bond, with two responsible securities, for the faithful performance and fulfillment of his contract, and to pay all damages that may accrue by reason of his failure to complete the work within the time required in the contract. He said order and estimates and profile are on file, and may be seen at my office.

Dated September 22nd, 1903.
SELDEN McGARREY,
County Auditor Anoka County,
State of Minnesota.

as the ~~contract~~ number of yards between the photos are numbered by them, all corners missing at outlet of the ditch and setting it in place, or to give in 8

Main Line

Per yds.

Shakon + 43 Fred R. Michael

Per yds. 394 1/2

128 " " 4 1/2

127 " " 4 3/4

126 " " 4 3/4

125 " " 4 3/4

124 " " 4 3/4

123 " " 4 1/2

122 " " 0 6

H. D. Dennis

Wick No 38

Per yd.

Machin Sew to H. B. Brown

120	"	.06
119	"	.06
118	"	.06
117	"	.06
116	"	.06
115-	"	.06
114	"	.06
113	"	.06
112	"	.06
111	"	.06
110	"	.06
109	"	.06
108	"	.06
107	"	.06
106	"	.06
105-	"	.06
104	"	.06
103	"	.06
102	"	.06
101	"	.06
100	"	.06
99	"	.06
98	"	.06
97	"	.06 1/4
96	"	.06
95-	"	.06
94	"	.06 1/4
93	"	.06
92	"	.06
91	"	.06

Sheet No 38

Station

90 Incl 10 14 B Lamin @

Rec'd.

.078

+50

89

"

.07

88

"

.07

87

"

.06 1/2

86

"

.06

85

"

.06

84

"

.06

83

"

.06

82

"

.06

81

"

.06

80

"

.06

79

"

.06

78

"

.06

77

"

.05 3/4

76

"

.05 3/4

75

"

.05 3/4

74

"

.05 3/4

73

"

.06

72

"

.06

71

"

.06

70

"

.06

69

"

.06

68

"

.06

67

"

.06

66

"

.06

65

"

.06

64

"

.06

63

"

.06

62

"

.06

61

"

.06

Diet No 38

	Per yd.
Station	
60 Steel to H. B. Shuman	.06¢
59	.06
58	.06
57	.06
56	.06
55	.06
54	.06
53	.06
52 to 50	E. P. Woodworth 12.03
52 Steel to H. B. Shuman	.06
51	.06
50	.06
49	.06
48	.06
47	.06
46	.06
45	.06
44	.06
43	.06
42	.06
41	.06
40	.06
39	.06
38	.06
37	.06
36	.06
35	.06
34	.06
33	.06
32	.06
31	.06

bridge

Dish No 58

Per yds

Station = Loc 11, 1932 Station @

30	"	.06
29	"	.06
28	"	.06
27	"	.06
26	"	.06
25-	"	.06
24	"	.06
23	"	.053
22	"	.06
21	E P. Underneath	.053
20	"	.053
19	"	.053
18	"	.05
17	"	.05
16	"	.05
15-	"	.05
14	"	.05
13	"	.05
12	"	.05
11	"	.05
10	"	.05
9	"	.05
8	"	.05

Had a dog down well

32
31
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8