

Filed this 24 day
of Dec 1917
Wm. H. O'Connell
County Auditor.
Wm. H. O'Connell

Wescription of Repairs County Witch No 41
Commencing at a point 330' West of the center of
the N.E. $\frac{1}{4}$ of Sec. 33 Twp 31 R. 23, said point being
Station 0 or the source of the main ditch of County Witch
No 41 of Anoka County, thence following the exact course
of County Witch No. 41 to its outlet at Sta. 359 said
point being N 70° E 721 feet from the S.W. Corner of N.W. $\frac{1}{4}$ of
S.W. $\frac{1}{4}$ of Sec 12 Twp 31 R. 24 and extending County ditch
No. 41 to a new outlet as follows, thence N $11\frac{1}{2}^{\circ}$ E 54 feet
to Sta. 359+54, thence N $40\frac{1}{4}^{\circ}$ W 292 $\frac{1}{2}$ feet to Sta 361+46 $\frac{1}{2}$,
thence N $22\frac{1}{4}^{\circ}$ W 192 $\frac{1}{2}$ feet to Sta 363+39, thence N $59\frac{3}{4}^{\circ}$ W 89 feet
to Sta 364+28, thence S 69° W 279 feet to Sta 367+7,
thence N 51° W 382 feet to Sta 370+89, thence N $67\frac{1}{2}^{\circ}$ W
122 feet to Sta 372+11, thence S 64° W 157 feet to Sta 373+68
all in N.W. $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec. 12 Twp 31 R. 24, said Sta 373+68
being on West line of Sec 12 at 393' South of the W $\frac{1}{4}$ Cor of said
Sec 12, Thence S $55\frac{1}{2}^{\circ}$ W 414 feet to Sta 377+82, thence
S 27° W 156 feet to Sta 379+38, thence S 70° W. 224 feet to
Sta 381+62, thence S 34° W 396 feet to Sta 385+58,

Sheet 2

thence S 76° W 254 feet to Sta 388+12, thence S 57° W 317 feet to Sta. 391+29 all in the NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec 11
Twp 31. R. 23, Sta 391+29 being at the NW corner of the SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of said Sec 11, thence S 57° W 400 feet to Sta 395+29, thence S $31\frac{1}{2}^{\circ}$ W 161 feet to Sta 396+90, thence S $72\frac{3}{4}^{\circ}$ W 191 feet to Sta 398+81 all in SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of said Sec 11 said Sta 398+81 being 658' West and 501 feet S of the center of SE $\frac{1}{4}$ of said Sec 11, thence following very closely "Sand Creek" so called in a Westerly ^{a distance of 3200 feet} direction, cutting across such bends as are shown on the map covering that part, through the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ ^{at Sta. 430+81} and into County Witch No 54, as its new outlet, in the SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of said Sec 11, all in said Sec 11, at a point N 71° E 495 feet from the S.W. corner of said Sec 11 Twp 31 R 24, Together with all the branches of County Witch No. 41 and an additional branch to be known as Branch No 9 of Repairs County Witch No 41 described as follows:
Commencing at a point 33' East and 2400 feet South

Sheet No. 3

of the center of Sec 17. Thence $\text{N} 31^{\circ} \text{P. } 24$, thence due north parallel with $\text{N} + \text{S } \frac{1}{4}$ line of said Sec 17 2400 feet to the $\text{E} + \text{W } \frac{1}{4}$ line of said Sec 17 all in the $\text{SW } \frac{1}{4}$ of $\text{SE } \frac{1}{4}$ and the $\text{NW } \frac{1}{4}$ of $\text{SE } \frac{1}{4}$ of said Sec. 17, thence East on the said $\text{E} + \text{W } \frac{1}{4}$ line of said Sec. 17 2600 feet to its outlet in the main ditch on the north line of the $\text{NE } \frac{1}{4}$ of $\text{SE } \frac{1}{4}$ of said Sec 17. all in the $\text{NW } \frac{1}{4}$ of $\text{SE } \frac{1}{4}$ and the $\text{NE } \frac{1}{4}$ of $\text{SE } \frac{1}{4}$ of said Sec 17
 $\text{Thence } 31^{\circ} \text{P. } 24$.

Wayne L. Rudge, Engineer.