CORY.

Q 너 Н **|---|** H-3 1 \circ Z

HO the County Board o H the County 0 Anoka, Minnesota:

The undersigned petitioners respectfull 4 represent 0 2 0 10 t 20 t

HOH edt construction are the edt 0 owners County Ditch O H3 lands No. that 49 0 have Anoka been County heretofore 2556556

reason purpose That O Ha ಕ್ಷಚಿತ್ರ the for following ditch MOI Ch ۲. س ب. د+ r I facts: SCA need constructed 0 repairs ಇಭಿಗ ಭಿಗ್ರಭ become that ₽. C† greatly usefulness impaired

sediment FIRSTtherein That Sides said and banks δç ditch the and has growth right become О На 0 way weeds obstructed thereof and grasses å the uodn deposit and along

р4. СФ opposite tion. deepening drainage bstructions S S S S reto, H O ditch, SECONDalmost WILL constructed more о С Will than **9**47 o O का रंग useless the That 1000 1000 1000 i, ditch υ †2 very turn the the HUN some 5 Š present large; edt c† О Нэ ditch made 947 and the deepening the carry water 122 original below ch Ch D, that water O |-3 ω ed't ed; expense c† O comparatively C H3 ω the such the bottom, in the short plan water the upper nthos rəddn 0 portion 0 from extension ditch: removing the portion the pnd portion the Lay Lay Small 1 nism 0 furnish Å rəqqu 0 dons 0 H3 もばわ 0 reason ditch, expense. render the t be 4 1 1 1 1 1 ditch portion obstructions **Mount** land upper ditch for thereof under absolutely 4 5 1 1 1 1 adjacent († 00 00 1 being O H3 end upper which the h) O ω and and Por-

necessary furnish ct O That the open service originally repairs the ditch, 013 the remove kind intended the waters a pove indicated from 947 are adjacent lands

Ø

Civil

4800 engineer further О Н 明国民国司 日日 making c† 0 ascertain proceedings such Your repairs, petitioners and may report (B) and had as pray when 9 you that ರ್ಷ ಬಂಗಿ may the ත<u>'</u> you report necessity necessary Will <u>ب.</u> appoint filed therefor FOH ರ್ಣಂಗಿ 9d 7 and the repair other

 a_{c} Anoka, Minnesota, this 20th day 0 H April, 1912

ditch

Zu Inv restment Co. C. Blanchett 100 ct itioners Pres

State of Minnesota. In the matter of reparing Ditch Number 49 in the County of Anoka,

O Ha Minnesota, the Foard of County Commissioners of Anoka County, State

would of the Main Ditch into Twin Lakes. There is 3.8 feet fall from near station 2 ance with the petition of the Blanchett Investment Company and others present water level in Twin Lakes, a there is not report upon and that A ditch which is at a very low stage. respectfully report that after a careful survey I have found at station & should be a feet deep would leave only 0.8 O Ha the cost of I, the undersigned, appointed by your order sufficient fall to warrant an outlet of the upper end the Main Ditch, the reparing pitch No. 49, Anoka County in accordfeet fall to lowest part distance of about 1900 the water level in the lake to draw water from the North of the meadow, to to survey and feet.

This will let the water out of the upper part of the ditch whereit now from station 0 ing out of the ditch stands 2 to 3 feet deep have ö 80 however and giving and drain the land as originally intended by the layprepared an estimate for eleaning out the Main ditch <u></u>⊢. one for more fall in 4 part distance.

one to can be followed. I made in the bottom of the ditch and clean out the old ditch, the other for a new ditch at high I also found Branch number 7 stage. By have prepared two estimates for Branch number 7, changing its course a more natural waterway **⊢**. having need of repairs. The fall was filled in the water runs

July 22, 1912.

List of expenses for the survey and report

Repairing Ditch No. 49

Anoka: County Minn.

Total cost of survey& report \$87.50

ESTIMATE OF COST.

		Credit by balance Ditch 49 fund
652,60	550,20	
\$ 387.10	284,70	Excavation as per engineer's report
	000	Sheriff's fees
	10,00	Publishing
	40.00	Engineer at sale and acceptance of work
	45.00	Commissioners per diem etc.
	75,00	Auditors fees
	87.50	Cost of survey a savasasasasasasasasasas