

CSAH 11 @ CSAH 18 - SIGNAL CODE 7152 - BY PHASE TIMING

REVISED - 08/11/2014

BY PHASE TIMING DATA

PHASE	ø1	ø2	ø3	ø4	ø5	ø6	ø7	ø8
DIRECTION	WBLT	EBT	NBLT	SBT	EBLT	WBT	SBLT	NBT
MINIMUM GREEN	5	15	5	10	5	15	5	10
BK MIN GREEN								
CS MIN GREEN								
DELAY GREEN								
WALK		7		7		7		7
WALK 2								
PED CLEAR		20		19		21		17
PED CLEAR 2								
VEHICLE EXT	2.1	2.3	2.1	2.3	2.1	2.3	2.1	2.3
VEHICLE EXT 2								
MAX 1	20	55	20	25	20	55	20	25
MAX 2								
MAX 3								
DYM MAX								
DYM STP								
YELLOW	3.0	3.6	3.0	3.6	3.0	3.6	3.0	3.6
RED CLEAR	2.3	1.9	2.2	1.8	2.2	2.1	2.0	1.9
RED MAX								
RED REVERT	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
ACT B4								
SEC/ACT								
MAX INT								
TIME B4								
CARS WT								
STPT DUC								
TIME TO REDUCE								
MIN GAP								

Detector Extend/Delay

D1-2 delay - 2.0 sec.

D2-1 stretch - 1.0 sec.

D2-2 delay - 10.0 sec.

D3-2 delay - 2.0 sec.

D4-1 stretch - none

D4-2 delay - 10.0 sec.

D5-2 delay - 2.0 sec.

D6-1 stretch - 1.0 sec.

D6-2 delay - 10.0 sec.

D7-2 delay - 2.0 sec.

D8-1 stretch - 1.0 sec.

D8-2 delay - 10.0 sec.