



MADISON ST NE

MONROE ST NE

CSAH 8
(OSBORNE RD NE)

125'

2" NMC (DIRECTIONAL BORE) △
1-4/C #14
1-2/C #14
1-1/C #6 INS. GR.

- ① F&I BY CONTRACTOR: --- MODIFIED PEDESTAL CONCRETE FOUNDATION
PEDESTAL POLE AND BASE (MnDOT STD PLATE 8122)
POLE MOUNTED CONTROL CABINET
2-W11-2 LED ENHANCED SIGN (30"x30")
1-W16-7mPL (24"x18")
1-W16-7mPR (24"x18")
1-PED PUSHBUTTON (PB-1) AND SIGN MOUNTED ON WEST SIDE OF PEDESTAL
F&I BY COUNTY: --- 2" NMC TO HH-1) △
1-4/C #14
1-2/C #14
1-1/C #6 INS. GR.
- ② F&I BY CONTRACTOR: --- MODIFIED PEDESTAL CONCRETE FOUNDATION
PEDESTAL POLE AND BASE (MnDOT STD PLATE 8122)
POLE MOUNTED CONTROL CABINET
2-W11-2 LED ENHANCED SIGN (30"x30")
1-W16-7mPL (24"x18")
1-W16-7mPR (24"x18")
1-PED PUSHBUTTON (PB-2) AND SIGN MOUNTED ON WEST SIDE OF PEDESTAL
F&I BY COUNTY: --- 2" NMC TO HH-2) △
1-4/C #14
1-2/C #14
1-1/C #6 INS. GR.

- △ (A) F&I BY CONTRACTOR: --- SOP-POLE MOUNTED NEW TRANSFORMER
2" CONDUIT INTO SERVICE CABINET
2" NMC (DIRECTIONAL BORE) △
3-1/C #4
- △ (B) F&I BY CONTRACTOR: --- SERVICE CABINET
SERVICE CABINET FOUNDATION
2" NMC TO HH-1) △
2-4/C #14
2-2/C #14
1-1/C #6 INS. GR.

PEDESTRIAN CROSSWALK FLASHER SYSTEM A



I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.
Bryan T. Nemeth
BRYAN T. NEMETH
LIC. NO. 43384 DATE 05/26/2020

DESIGNED ZAP
DRAWN ZAP
CHECKED BTN



12224 NICOLLET AVENUE
BURNSVILLE, MINNESOTA 55337
Phone: (952) 890-0509
Email: BurnsVille@bolton-menk.com
www.bolton-menk.com

REV	BY	DATE
△	CLC	7/8/20
△	ZAP	7/13/20

S.P. 002-608-012
CSAH 8 RECONSTRUCTION
SIGNAL PLANS

SHEET 170R2
OF 189