SITE PLAN


I, Terrence E. Rothenbacher, hereby certify that the work was undertaken by or reviewed and approved by me for this FIFTH SUPPLEMENTAL CIC Plat of CIC Number 180, GABLES AT WATERSTONE BAY, A CONDOMINIUM, being located upon

Lot 13, Block 3, THE LAKES OF RADISSON FOURTEENTH ADDITION, Anoka County, Minnesota, and the additional real estate is located upon the following described property designated as:

Lots 6 through 12, inclusive, Block 3; THE LAKES OF RADISSON FOURTEENTH ADDITION, Anoka County, Minnesota,

rately depicts all information reauired by Minnesota Statutes, Section 515B.2—110. d that this OLO slat fully and

Dated this 2nd day of	, 200 <u>7</u> .
Lerrence	E. Rothenbacher, Land Surveyor
	a License No. 20595
STATE OF MINNESOTA COUNTY OF ANOKA	
The foregoing certificate was acknowledged E. Rothenbacher, a Licensed Professional Lo	before me this <u>2</u> day of <u>January</u> , 200 and Survevor.
Concentration and the second s	1/4
CHRISTOPHER E SHARP	hulph 2. Stop
INOLDEY F	Public, Anoka County, Minnesota mission Expires January 31, 2010
	ursuant to Minnesota Statutes, Section 515B.2—101(c), onents of the structures containing the units and the
mechanical systems serving more than one	e unit, but not the units, are substantially completed.
Dated this <u>2nd</u> day of <u>January</u>	, 200
	CL-topL 1 that
	Professional Engineer a License No. 44246
Minnesot	a License No 99296
STATE OF MINNESOTA COUNTY OF ANOKA	
The foregoing certificate was acknowledged	before me this 2nd
day of <u>January</u> , 2007, by <u>CH</u> a Licensed Professional Engineer.	RISTOPHER J HUNTLEY
Concernence concernence concernence	Pitol S Co Cin
	Public, Anóka County, Minnesota mission Expires January 31, 2010
Checked and approved this day	of JANUARY, 2007.
(
	Farry a main
	Anoka County Surveyor
	Denotes Found Judicial Landmark
	Denotes found iron monument
	O Denotes 1/2 inch by 14 inch iron monument set and marked with license number 20595.
DRAINAGE AND UTILITY	Bearings are based on the most southerly line o Block 3, THE LAKES OF RADISSON FOURTEENTH /
EASEMENTS ARE SHOWN THUS: (NOT TO SCALE)	which is assumed to have a bearing of South 89 degrees 37 minutes 13 seconds East.
0 0	BENCH MARKS
	Cast Iron Monument at the Southeast Corner of Section 9, Township 31, Range 23.
4	Elevation= 904.86 (NGVD 1929)
being 10 feet in width and adjoining right—of—way lines unless otherwise	Cast Iron Monument at the North Quarter Corner of Section 9, Township 31, Range 23.
shown on this plat.	Elevation = 903.09 (NGVD 1929)



SHEET 1 OF 3 SHEETS

SITE PLAN (AS-BUILT) NS4 56733 C.E DRAINAGE AND UTILITY EASEMENTS ARE SHOWN THUS: (NOT TO SCALE) O Denotes 1/2 inch by 14 inch iron monument set and marked with license number 20595 L.C.E. = Limited Common Element C.E. = Common Element _____ M.B.B. = Must Be Built Bearings are based on the most southerly line of Lot 9, Block 3, THE LAKES OF RADISSON FOURTEENTH ADDITION, which is assumed to have a bearing of South 89 degrees 37 minutes 13 seconds East. being 10 feet in width and adjoining right—of—way lines unless otherwise shown on this plat.

OFFICIAL PLAT

BK. 9 of CIC Pg.48


49.17

139.67 N81'37'33"E

Drainage and ----' Utility Easement

CIC NUMBER 180 GABLES AT WATERSTONE BAY A CONDOMINIUM FIFTH SUPPLEMENTAL CIC PLAT


72.22 N01•47³7^{*}E



COMMON


C.R. DOC. NO.

CITY OF BLAINE COUNTY OF ANOKA SEC. 09, TWP. 31, RGE. 23



GRAPHIC SCALE 10 20 (IN FEET) 1 inch = 20 feet

PI NEE *Rengineering* CIVIL ENGINEERS LAND PLANNERS LAND SURVEYORS LANDSCAPE ARCHITECTS



OFFICIAL PLAT