SITE PLAN


CIC NUMBER 270

A CONDOMINIUM
CROWN COVE NORTH
CIC PLAT

BK10 of CIC Pg 14

This CIC plat is part of the Declaration recorded as Document No. 493094.003 on this 12th day of October , 2007

CITY OF BLAINE COUNTY OF ANOKA SEC. 10, TWP. 31, RGE. 23



UNIT DETAIL (AS-BUILT)


BK 10 of CILPS 14

CIC NUMBER 270 A CONDOMINIUM CROWN COVE NORTH CIC PLAT

C.R. DOC. NO_____

CITY OF BLAINE COUNTY OF ANOKA SEC. 10, TWP. 31, RGE. 23

MAIN LEVEL



Main Level Elevations

All units garage floor elevation at garage door = 899.5 feet All units garage floor elevation at rear of garage = 899.8 feet All units garage ceiling elevation = 908.9 feet


All units main level floor elevation = 899.8 feet

All units main level ceiling elevations vary from = 908.9 feet to 912.4 feet

Elevations are referenced to a benchmark as noted on the site plan on Sheet 1 of 3 Sheets and are shown in feet and tenths of a foot.

L.C.E. = Limited Common Element

Interior dimensions shown are measured to the unfinished surface of the walls, floors and ceiling.




BUILDING DIMENSION DETAIL (AS-BUILT)

CIC NUMBER 270 A CONDOMINIUM CROWN COVE NORTH CIC PLAT


BK10 of CLCP9 H

C.R. DOC. NO._____

CITY OF BLAINE COUNTY OF ANOKA SEC. 10, TWP. 31, RGE. 23



DRAINAGE AND UTILITY EASEMENTS ARE SHOWN THUS: (NOT TO SCALE)



O Denotes 1/2 inch by 14 inch iron monument set and marked with license number 20595

L.C.E. = Limited Common Element

Bearings are based on the North line of Outlot A, THE LAKES OF RADISSON THIRTY—FIRST ADDITION, which is assumed to have a bearing of South 89 degrees 02 minutes 26 seconds East.



