



CIC NUMBER 34 APOLLO MEADOWS TOWNHOMES COMMON INTEREST COMM FIRST SUPPLEMENTAL CONDOMINIUM PLAT OAKSSUNSET DRIVE APOLLO N87°48'47"E 999.21 496.47 232.10 S02 11'13"E DRAINAGE & UTILITY EASEMENT ELEMENT COMMON -7 I, Robert B. Sikich, hereby certify that the work was und 1276.54 N71.04'20"E CIC Plat of CIC Number 34, APOLLO MEADOWS TOWNHON 3511 Lot 7, Block 1, APOLLO MEADOWS TOWNHOMES, An and the additional real estate is located upon the follow NJC. Lots 4, 5, 6 and 8 Block 1, APOLLO MEADOWS TO FHIGHTVVAI fully and accurately depicts all information required by Dated this 364 day of 1998 Surveyoi Minnesota License No. 14891 STATE OF MINNESOTA COUNTY OF ANOKA The foregoing certificate was acknowledged before me th a Licensed Professional Land Surveyor. HOWAS A YRANGA (A) SI SI BENCH MARK PHEN Sieger, pursuant to Minnesota Top nut of the hydrant at the southerly end of Lea Court. Elevation = 909.51 feet (NGVD 1929)all structural components and mechanical systems of all substantially completed. Dated this Ind day of Invid_____, 1998 Denotes iron monument found. STATE OF MINNESOTA COUNTY OF All drainage and utility easements shown were dedicated in the plat of APOLLO MEADOWS TOWNHOMES. The foregoing certificate was acknowledged before me th Registered Professional Architect. For the purpose of this plat, the north line of Outlot E, JUDY NOTARY PUE My Comm. Ex Apollo Meadows has an assumed bearing of N87°48'47"E. Checked and approved this <u>8TH</u> day of <u>APRI</u>

	Page 10f3
	This First Supplemental CIC plat is part of the Declaration recorded as Document No.
UNITY	
	△=06°36'22" R=899.00 103.65
	40.27 N0001'00"E
TILITY EASEMENT	4.000X
dertaken by or review	wed and approved by me for this First Supplemental
IES, A COMMON INTE oka County, Minneso	REST COMMUNITY, being located upon
ving described proper	rty designated as:
WNHOMES, Anoka Co Ainnesota Statutes, S	unty, Minnesota Section 515 B. 2—110.
his 30 th day of _	MARLH 1998, by Robert B. Sikich,
RD W. RÓGERS	And agen
USUE COUNTY	Notary Public, Sherburne County, Minnesota My Commission Expires Jan. 31, 2000
	5B.2—101(c), do hereby certify that all the units and g or comprising any units hereby created, are
	to for a stand of a
	Registered Professional Architect Minnesota Registration No.
nis day of	<u>1998, by letter 2. Sieg</u> , es.
E. WYATT UBLIC - WINNESOTA Expires Jan. 31, 2000	Notary Public, County, Minnesota
	My Commission Expires Jan. 31, 2000
، 1998.	
	Anoka Bunty Surveyor



	Page 2 of 3
UNITY	
AD A	
<i>A</i>	
GRAPHIC SCALE IN	FET
	40
Scale: 1 inch = 10 f	eet
K ¥ .	
IONEER LAND SURVEYORS • CI ngineering LAND PLANNERS • LANDSI	ML ENGINEERS CAPE ARCHITECTS

SHEET 2 OF 3 SHEETS



Interior Dimensions shown are measured to the unfinished surface of the walls, floors and ceilings

Page 3 of 3

L.C.E. Denotes Limited Common Element


Elevations are referred to Benchmark as noted on site plan and are shown in feet and tenths of a foot


The privacy wall is a Common Element and must be built.

All units garage floor elevations = 909.3 feet All units garage ceiling elevations = 917.3 feet

- All units basement level floor elevations = 901.6 feet All units basement level ceiling elevations = 909.6 feet
- All units main level floor elevations = 910.6 feet All units main level ceiling elevations vary from 918.6 feet to 927.6 feet

All units second level floor elevations = 919.6 feet All units second level ceiling elevations = 927.6 feet





Scale: 1 inch = 10 feet

LAND SURVEYORS . CIVIL ENGINEERS LAND PLANNERS . LANDSCAPE ARCHITECTS

PIONEER

engineering

SHEET 3 OF 3 SHEETS