| 5234 | 1.5 | 7.7 | |
|------|-----|-----|---|
| | - | | - |
| | • | | |
| | | | |

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER State of Minnesota County of Anoka

West 1/4 Corner of Sec. 15, Township 33, Range 25


I hereby certify that on the 6th day of December, 1974, I found the described corner which was evidenced by Area Resurvey

and I further certify that to perpetuate the location of said corner, I did, at the exact location thereof, place a permanent marker consisting of a cast iron monument with a sign and post on the north side

which reference or witness monuments are located in the manner following:

OFF 207TH AVE. AND BLOUNT DRIVE





TREE LINE

Pipe Line

Revised date

| 40 - 214 - 244 | |
|----------------|---------|
| 6-27-89 | |
| 7-19-94 | |
| 2-13-03 | |
| | 7-19-94 |

N.A.D. 1983 Co-ordinates (1996 Adjustment)

| County Pr | oject Co-ordinates | State Plane Co-ordinates |
|-----------|--------------------|--------------------------|
| Northing | 214626.7649 | Υ |
| Easting _ | 452870.1067 | X |

Date 2-13-03

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER County of Anoka State of Minnesota


West 1/4 Corner of Sec. 15, Township 33, Range 25

| I hereby certify that on the 6th day of December, 1974, I found the described corner which was |
|---|
| evidenced by Area Resurvey |
| and I further certify that to perpetuate the location of said corner, I did, at the exact location |
| thereof, place a permanent marker consisting of <u>a cast iron monument with a sign and post on</u> |
| the north side |

which reference or witness monuments are located in the manner following:



Wooded



Revised date

| 27-89 19-94 |
|----------------|
| 10 04 |
| 19-94 |
| 13-03 |
| |

N.A.D. 1983 Co-ordinates (1996 Adjustment)

| County Pro | oject Co-ordinates | State Plane Co-ordinates |
|------------|--------------------|--------------------------|
| Northing | 214626.7649 | Υ |
| Easting | 452870.1067 | x |

Date <u>2-13-03</u>

Page No. 55

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

County of Anoka

State of Minnesota

WEST 1/4


Corner of Sec. 15 Township 33 Range 25

I hereby certify that on the 6 day of DECEMBER, 1974, I found the described corner which was evidenced by AREA RESURVEY

and I further certify that to perpetuate the location of said corner, I did, at the exact location thereof, place a permanent marker consisting of CAST IRON WITH

SIGN & POST ON NORTH SIDE.

which reference or witness monuments are located in the manner following:



| Revised date | Revised date | Revised date |
|--------------|--------------|--------------|
| 7-2-85 | | |
| 6-27-89 | | |
| 7-19-94 | | |
| 2-13-03 | | |
| | | |
| | | |
| | | |

